





LEICA ER 6.5 - 26x56 LRS

Reticles and sub-tensions



Reticle 4A


Table with dimensions on page 4






LEICA ER 6.5 - 26x56 LRS

Reticles and sub-tensions



Reticle Standard Ballistic


Table with dimensions on page 4






LEICA ER 6.5 - 26x56 LRS

Reticles and sub-tensions



Reticle Magnum Ballistic

Table with dimensions on page 4





LEICA ER 6.5 - 26x56 LRS

Sub-tension in cm/100 m

Riflescope			Leica ER 6.5-26x56 LRS		
Reticle			4A	Standard Ballistic	Magnum Ballistic
Post distance	6,5x	A	216.0	247.0	247.0
	10x		140.0	160.0	160.0
	26x		54.0	61.5	61.5
Cross-/Hair Sub-tension	6,5x	B	108.0	4.7	4.7
	10x		70.0	3.0	3.0
	26x		27.0	1.2	1.2
Post sub-tension	6,5x	C	3.7	0.8	0.8
	10x		2.4	0.5	0.5
	26x		0.9	0.2	0.2
Dot coverage	6,5x	D	0.8	2.3	2.3
	10x		0.5	1.5	1.5
	26x		0.2	0.6	0.6
Post distance	6,5x	E	--	15.5	15.4
	10x		--	10.0	10.0
	26x		--	3.8	3.8
Stadia line width	6,5x	F	--	23.0	23.0
	10x		--	20.0	15.0
	26x		--	5.8	5.8
Stadia line width	6,5x	G	--	31.0	7.7
	10x		--	20.0	5.0
	26x		--	7.7	2.0
Post distance	6,5x	H	--	46.0	31.0
	10x		--	30.0	20.0
	26x		--	11.5	7.7
Post distance	6,5x	I	--	62.0	46.0
	10x		--	40.0	30.0
	26x		--	15.4	11.5
Post distance	6,5x	J	--	77.0	62.0
	10x		--	50.0	40.0
	26x		--	19.2	15.4
Post distance	6,5x	K	--	93.0	77.0
	10x		--	60.0	50.0
	26x		--	23.0	19.2
Post distance	6,5x	L	--	108.0	93.0
	10x		--	70.0	60.0
	26x		--	27.0	23.0
Post distance	6,5x	M	--	124.0	108.0
	10x		--	80.0	70.0
	26x		--	31.0	27.0
Post distance	6,5x	N	--	139.0	124.0
	10x		--	90.0	80.0
	26x		--	35.0	30.0
Post distance	6,5x	O	--	7.7	139.0
	10x		--	5.0	90.0
	26x		--	2.0	35.0

All specifications in centimeters on 100 meters (cm/100m)